

SERIES 7 DAMPER PRODUCT PORTOFOLIO

SERIES 701

Butterfly Damper Valve

For Control or On/Off Service
 DN 150 - 1500
 Max Leakage Class III (FCI 70-2)
 End Connections: Wafer, Flanged
 Material: Carbon Steel, AISI 304, AISI316



200°C

CE EAC

SERIES 704

Butterfly Damper Valve

For Control or On/Off Service
 DN 50 - 125
 Max Leakage Class I (FCI 70-2)
 End Connections: Wafer
 Material: AISI316



600°C

CE EAC

SERIES 705

Multi-Blade Damper Valve

Modulating Service
 DN 300 - 3000
 End Connections: Wafer, Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI316



600°C 705H
 200°C 705

CE EAC

SERIES 710

Louver Damper Valve

Rectangular or Square section
 For Control or On/Off Service
 Size Range upon request
 End Connections: Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI316, AISI 310, AISI 321



1000°C 710S
 600°C 710H
 200°C 710

CE EAC

SERIES 708

Butterfly Damper Valve (Heavy Duty)

For Control or On/Off Service
 DN 200 - 3000
 Max Leakage Class III (FCI 70-2)
 End Connections: Wafer, Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI316



1000°C 708S
 600°C 708H
 200°C 708


CE EAC

SERIES 7 DAMPER PRODUCT PORTOFOLIO

SERIES 710T

Louver Damper Valve with Air Sealing System for Total Tightness 100%

Rectangular or Square section
For Control or On/Off Service
Size Range upon request
Total Tightness 100%
End Connections: Flanged
Material: Carbon Steel, Corten, AISI 304, AISI316



CE Ex EAC

SERIES 715

Radial Vane Damper Valve

Modulating Service
DN 300 -2000
End Connections: Flanged
Material: Carbon Steel, AISI 304, AISI316




CE Ex EAC

SERIES 720

Multi Louver Damper

Rectangular or Square section
Modulating Service
Size Range upon request
End Connections: Flanged
Material: Carbon Steel, Corten, AISI 304, AISI316, AISI 310, AISI 321



CE Ex EAC


APPLICATIONS

- Fluids: Air, Gas and Fumes
- CHP and Incineration Plants (Waste to Energy)
- Biomass, Biogas and Renewable Energy Plants
- Steel Industry and Furnaces
- Glass Industry
- Cement Plants
- Air Pollution and Filtration (Dedusting)
- Power Plants
- Heat Recovery Systems
- Boilers and Burners
- Chemical Industry
- Oil and Gas
- HVAC
- Thermal Oxidizers

SERIES 720T

Multi Louver Damper with Air Sealing System for Total Tightness 100%

Rectangular or Square section
Modulating Service
Size Range upon request
Total Tightness 100%
End Connections: Flanged
Material: Carbon Steel, Corten, AISI 304, AISI316



CE Ex EAC

SERIES 731

Butterfly Damper Valve

For Control or On/Off Service
DN 150 -1500
Max Leakage Class III (FCI 70-2)
End Connections: Wafer, Flanged
Material: Carbon Steel, Corten, AISI 304, AISI316



CE Ex EAC

SERIES 7 DAMPER PRODUCT PORTOFOLIO

SERIES 740

Ø Leakage Damper Valve - Double Eccentric

For Control or On/Off Service
 DN 150 - 2000
 Max Leakage Class VI Ø Leakage - Total Tightness (FCI 70-2)
 End Connections: Wafer, Flanged
 Material: Carbon Steel, AISI 304, AISI316
 Seat: Silicon, NBR, Viton, EPDM



SERIES 740PH

Ø Leakage Damper Valve for corrosive media - Double Eccentric

For Control or On/Off Service
 DN 150 - 2000
 Max Leakage Class VI Ø Leakage - Total Tightness (FCI 70-2)
 End Connections: Wafer, Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI 316
 Seat: FEP, PFA



SERIES 750

Butterfly Double Blade Damper Valve with Air Sealing System for Total Tightness 100%

For Control or On/Off Service
 DN 150 - 3000
 Max Leakage Class VI Ø Leakage - Total Tightness (FCI 70-2) with air sealing system
 End Connections: Wafer, Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI 316



SERIES 761

Guillotine Damper (SLIDE GATE)

Circular, Square, Rectangular section
 For Control or On/Off Service
 DN 150 - 3000
 Max Leakage Class III (FCI 70-2)
 End Connections: Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI 316, AISI 310, AISI 321



SERIES 755

By-Pass Damper

For Control or On/Off Service
 DN 100 - 2500
 Max Leakage Class III (FCI 70-2)
 End Connections: Flanged
 Material: Carbon Steel, Corten, AISI 304, AISI 316



SERIES 7 DAMPER PRODUCT PORTOFOLIO

SERIES 770

Diverter Damper Valve (Gas Distributor)

Size Range upon request
For Control or On/Off Service
Max Leakage Class III
(FCI 70-2)
End Connections: Flanged
Material: Carbon Steel,
Corten, AISI 304, AISI 316



CE Ex EAC

SERIES 780

Butterfly Damper Valve - High Temperature

For Control or On/Off Service
DN 150 - 1500
Max Leakage Class III (FCI 70-2)
End Connections: Wafer, Flanged
For Control or On/Off Service
Material: AISI 310, AISI 321



CE Ex EAC

SERIES 785

Fiber-Lined Damper Valve

For Control or On/Off Service
DN 150 - 2500
Max Leakage Class III (FCI 70-2)
End Connections: Flanged
Material: Carbon Steel, Corten,
AISI 304, AISI 316, AISI 310,
AISI 321



CE Ex EAC

SERIES 786

Refractory Lined Damper Valve

For Control or On/Off Service
DN 150 - 2500
Max Leakage Class III (FCI 70-2)
End Connections: Flanged
Material: Carbon Steel, Corten,
AISI 304, AISI 316, AISI 310, AISI 321




CE Ex EAC

SERIES 790

Counterweight non-return Damper Valve

Circular, Square,
Rectangular section
DN 150 - 2500
Max Leakage Class III
(FCI 70-2)
End Connections:
Wafer, Flanged
Material: Carbon Steel,
AISI 304, AISI 316



CE Ex EAC